

VALVOLA A SARACINESCA – COPERCHIO BULLONATO – VITE INTERNA – ASTA NON SALIENTE
– BRONZO – BRONZO NAVALE – PN 16

GATE VALVE - BOLTED BONNET - INSIDE SCREW -
NON RISING STEM - BRONZE - NAVAL BRONZE – PN 16

CONFORM TO: DIN EN 12288
ANSI B16.24
LENGTH DIN 3202 F4

OPTIONAL MATERIALS:


- 1) ASTM B148C95800 (Al/Bz)
- 2) ASTM A 126B (Cast Iron)
- 3) ASMT A 395 (Ductile Cast Iron)

OPTIONAL TRIM MATERIALS :

- 1) ASTM A182 F316 (INOX)
- 2) MONEL K500
- 3) ASTM B148 C95800

WORKING PRESSURES

W.O.G. NON SHOCK
≤ DN 125 = 225 p.s.i.
≥ DN 150 = 150 p.s.i.



	DESCRIZIONE	DESCRIPTION	BZ (Bronze)	PH/BZ (Phosphor/Bronze)
1	CORPO	BODY	BRONZE ASTM B62 C83600	RG10 / CuSn10Zn
2	CUNEO	WEDGE	BRONZE ASTM B62 C83600	RG10 / CuSn10Zn
3	SEDE INTEGRALE	INTEGRAL SEAT	BRONZE ASTM B62 C83600	RG10 / CuSn10Zn
4	CAVALLOTTO	YOKE	BRONZE ASTM B62 C83600	RG10 / CuSn10Zn
5	ASTA	STEM	ASTM B16 C36000	ASTM B150 C63200
6	PREMISTOPPA	THRUST WASHER	ASTM B283 C46400	RG10 / CuSn10Zn
7	FLANGETTA	FLANGE	ASTM B283 C46400	RG10 / CuSn10Zn
8	VOLANTINO	HANDWHEEL	CARBON STEEL	CARBON STEEL
9	DADO	NUT	ASTM A193 B7 ZINC. PL.	ASTM A193 B8 M
10	TIRANTI CORPO	BOLT	ASTM A193 B7 ZINC. PL.	ASTM A193 B8 M
11	DADO	NUT	ASTM A194 2H ZINC. PL.	ASTM A194 Gr. 8 M
12	INDICATORE DI POSIZIONE	POSITION INDICATOR	ASTM B16 C36000	ASTM B16 C36000
13	DADO	NUT	ASTM B62 C83600	ASTM B62 C83600
14	GUARNIZIONE	GASKET	GRAPHITE TEFLONED	GRAPHITE TEFLONED
15	BADERNA	STEM PACKING	GRAPHOIL	GRAPHOIL

FLANGED ENDS: DIN EN 1092-1 PN 6-10-16 or ANSI B16.5 – 150 FF

SIZE	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"
DN	20	25	32	40	50	65	80	100	125	150	200	250	300	350
L	120	120	120	120	150	170	180	190	200	210	230	250	270	320
H	220	224	245	245	253	320	341	410	400	505	625	639	860	950
b	12	13	14	14	15	15	15	15	17	17	21	26	26	28
V	100	100	100	100	100	150	150	175	200	250	250	250	300	350
Kg	6	6	12	12	13	22	22	32	40	48	72	98	185	260